

ALEXON

Since 1982



RoHS



WATER KETTLE



MODEL NO.: AX-2208AWK
4.0L INSTANT WATER KETTLE

Specification:
 - AC220-240V 50/60Hz 2200-2600W
 - Product size: 26.4x19.1x34cm
 - Stainless steel fashion design,
 - 4 sensor touch buttons with LCD display
 - Detachable water drip tray with stainless steel cover

Packing details:
 Carton: 645 x 465 x 408mm
 4pcs / Carton
 1,000pcs / 20GP FCL
 2,036pcs / 40GP FCL
 2,304pcs / 40HQ FCL

Certificate: CB/CE/EMC/GS/LFGB/ROHS



MODEL NO.: AX-2209WK
2.2L INSTANT WATER KETTLE

Specification:
 - AC220-240V 50/60Hz 2200-2600W
 - Product size: 25.2x16.7x30.6cm
 - Plastic body with silver sprayed decoration
 - Energy saving, dispense boiling water in 3-5 seconds
 - Dual colour indicators: turns in green when in working, turns in red when short of water

Packing details:
 Carton: 570 x 412 x 345mm
 4pcs / Carton
 1,368pcs / 20GP FCL
 2,832pcs / 40GP FCL
 3,320pcs / 40HQ FCL

Certificate: CE,CB,G,S,LFGB,ROHS



MODEL NO.: AX-2202WK
4.0L INSTANT WATER KETTLE

Specification:
 - 220-240V 50/60Hz 2200-2600W
 - Product size: 29.6x22.3x35.9cm
 - Energy saving, dispense boiling water in 5 seconds
 - Plastic body with S/S and chrome decoration
 - Dual colour indicators: turns in green when in working, turns in red when short of water

Packing details:
 Carton: 670 x 515 x 420mm
 4pcs / Carton
 720pcs / 20GP FCL
 1,460pcs / 40GP FCL
 1,752pcs / 40HQ FCL

Certificate: CE,G,S,CB,LFGB,ROHS



MODEL NO.: AX-2205AWK
2.5L INSTANT WATER KETTLE

Specification:
 - AC220-240V 50/60Hz 2200-2600W
 - Plastic body with chrome decoration
 - Energy saving, dispense boiling water in 5 seconds
 - Two thermostats double safety anti-dry protection
 - Dual colour indicators: turns in green when in working, turns in red when short of water

Packing details:
 Carton: 620x440x362mm
 4pcs / Carton
 1,116pcs / 20GP FCL
 2,280pcs / 40GP FCL
 2,600pcs / 40HQ FCL

Certificate: CE,G,S,LFGB,ROHS



MODEL NO.: AX-3022FK
1.8L INSTANT WATER KETTLE

Specification:
 - AC220-240V 50/60Hz 1850-2200W
 - Detachable water tank 1.8L
 - One cup output about 200ML
 - Continuous out capacity 550ml/min
 - Water level decoder, low water level protection w/warning sound
 - Double thermal controller, boil dry protection

Packing details:
 Carton: 553 x 445 x 390mm
 4pcs / Carton
 1,216pcs / 20ft FCL
 2,432pcs / 40ft FCL
 2,844pcs / 40HQ FCL

Certificate: CE/GS/ROHS/LFGB



MODEL NO.: AX-3013TFK
1.7L STAINLESS STEEL KETTLE

Specification:
 - AC220-240V 50/60Hz 1850-2200W
 - 304 Stainless steel housing
 - 360 degree rotation cordless base
 - Double-dry burning protection
 - With water level gauge
 - With thermometer

Packing details:
 Carton: 625 x 425 x 240mm
 6 sets / Carton
 2,700 sets / 20GP FCL
 5,460 sets / 40GP FCL
 6,210 sets / 40HQ FCL

Certificate: CE/CB/GS/SAALFGB/EMC/ROHS



MODEL NO.: AX-3019LFK
1.7L STAINLESS STEEL KETTLE

- Specification:**
- AC220-240V 50/60HZ 1850-2200W
 - 304 Stainless steel housing
 - 360 degree rotation cordless pyramid kettle
 - Removable, washable stainless steel mesh filter
 - Concealed Heating Element
 - Boil dry protection - automatically switches off

- Packing details:**
- Carton: 686 x 400 x 285mm
8pcs / Carton
1,902pcs / 20GP FCL
3,804pcs / 40GP FCL
4,422pcs / 40HQ FCL

Certificate: CE/CB/GS/SAALFGB/EMC/ROHS



MODEL NO.: AX-3813A-08ASK
0.8L WATER KETTLE

- Specification:**
- AC220-240V 50/60Hz 1000W
 - product size: 23.7x15x19.6cm
 - capacity: 0.8L
 - Stainless steel heating element
 - 360 degree rotational design and cordless kettle

- Packing details:**
- Carton: 575 x 360 x 175mm
8pcs / carton
3,744pcs / 20ft FCL
7,776pcs / 40ft FCL
9,042pcs / 40HQ FCL

Certificate: GS,CE,LFGB,ROHS

MODEL NO.: HK-F555AE
1.7L DIGITAL WATER KETTLE

- Specification:**
- AC220-240V-50/60Hz, 1850-2200W
 - High quality stainless steel housing
 - Adjustable temp setting (50-70-80-90-100°C)
 - Multi-colors for different temperature
 - Boil up and keep warm function
 - Automatic pop-up lid
 - Concealed heating element

- Packing details:**
- Carton: 192 x 717 x 480mm
8 pcs / Carton
3,184 pcs / 20ft FCL
7,040pcs / 40ft FCL

Certificate: CE/GS/ROHS/LFGB



MODEL NO.: HK-S01A18
1.5L WATER KETTLE

- Specification:**
- AC220-240V-50/60Hz, 1200W
 - 304 stainless steel inner pot
 - JIA TAI waterproof thermostat
 - With led light to show working status
 - Dry protection design

- Packing details:**
- Carton: 555 x 430 x 500mm
12 pcs / Carton
3,040 pcs / 20ft FCL
7,352pcs / 40ft FCL

Certificate: CE/CS/ROHS



MODEL NO.: AX-1302BKK
2.0L GLASS KETTLE

- Specification:**
- AC220-240V 50HZ 1850-2200W
 - Water capacity: 2.0L
 - Stainless steel concealed heating element
 - Boil dry and overheat protection
 - Automatically out off while boiling

- Packing details:**
- Carton: 575 x 230 x 483mm
6pcs / Carton
2,580pcs / 20ft FCL
5,280pcs / 40ft FCL

Certificate: CE, ROHS, GS
Exclusive Country: Czech Rep, England



MODEL NO.: HK-KK815B
1.8L PLASTIC KETTLE

- Specification:**
- AC220-240V-50/60Hz, 1500W
 - New PP plastic material
 - Automatic power-off when water boils
 - Overheat protection device, with indicator light
 - Dual water window
 - Convenient cord storage

- Packing details:**
- Carton: 540 x 385 x 455 mm
12 pcs / Carton
3,456 pcs / 20ft FCL
7,176pcs / 40ft FCL

Certificate: CE/CB/ROHS/LFGB





MODEL NO.: HK-AJ03C
JUICER EXTRACTOR

Specification:
 - AC220-240V 50/60HZ 500W
 - Stainless steel housing
 - 65mm diameter feed chute for whole apple
 - 1.5L pulp container
 - 0.8L juicer cup
 - 2 speeds for fruit or vegetables option
 - Stainless steel blade and filter

Packing details:
 Carton: 515 X 590 X 362 mm
 6 pcs / Carton
 1,260 pcs / 20ft FCL
 2,556 pcs / 40 ft FCL

Certificate: CE/GS/ROHS/LFGB/ERP/REACH



MODEL NO.: AX-12MSKB
2 IN 1 TRAVEL BLENDER & CHOPPER

Specification:
 - AC100-240V 50/60Hz 500W
 - 1.2L chopper bowl with double layer SS blade
 - 570ml bottle with BAP FREE
 - Drip free pour spout
 - Items size: 230*180*380mm
 - Standard parts:
 a bottle with a silicon ring & a lid & a blade base
 a chopper bowl with a seal lid
 a motor base

Packing details:
 Carton: 650 x 300 x 500mm
 4sets / Carton
 1,420sets/ 20ft FCL
 3,546sets/ 40ft FCL
 4,158pcs/ 40HQ FCL

Certificate: CE/GS/ROHS/LFGB/CB



MODEL NO.: HK-BL602
2 IN 1 BLENDER

Specification:
 - AC220-240V 50/60HZ 400W
 - Super Power(SUS301) 4 wings extractor blade
 - Speed: 20000rpm/-15% (without food)
 - 600ML Tritan Bottle
 - 500ML glass jar
 - Easily blends all your favorite ingredients including ice.
 press and twist continuous modes for blending

Packing details:
 Carton: 710 x 482 x 292 mm
 8 pcs / Carton
 2,520 pcs / 20ft FCL
 4,944 pcs / 40 ft FCL

Certificate: CE/GS/ROHS



MODEL NO.: AX-2022DS
2 IN 1 SALAD MAKER & TRAVEL BLENDER

Specification:
 - AC220-240V 50Hz 250W
 - 500ml jar with BPA FREE
 - One speed
 - Standard accessories: 5pcs slicer, 1pc food pusher

Packing details:
 Carton: 765 x 265 x 540mm
 6sets / Carton
 1,440sets/ 20ft FCL
 3,060sets/ 40ft FCL
 3,600sets/ 40HQ FCL

Certificate: CE/GS/ROHS/LFGB



MODEL NO.: AX-99X1WS
ELECTRIC SPIRALIZER

Specification:
 - AC220-240V 50Hz 150W
 - Material: ABS,AS
 - 4 functions: fine spiral shredder, coarse spiral shredder, spiral slicer and ice crusher
 - Product size: 150 X 200 X 365mm
 - Accessories:
 3pcs spiral blades, 1pc Ice crusher blade, 1pc food pusher

Packing details:
 Carton: 490 X 220 X 550mm
 6pcs / Carton
 2,832pcs/ 20ft FCL
 5,868pcs 40ft FCL
 6,876pcs/ 40HQ FCL

Certificate: CE/GS



MODEL NO.: HK-5002
ELECTRIC SPIRALIZER

Specification:
 - AC220-240V / 110-120V 50/60Hz 15W; Class II
 - Potato twister and spiralizer in one compact unit.
 - Perfectly peel fruit and vegetables.
 - Simple one touch operation
 - Convenient built in storage for plug, cord and accessories.
 - Auto power off

Packing details:
 Carton: 410 x 402 x 410 mm
 4 pcs / Carton
 1,660 pcs / 20ft FCL
 3,440 pcs / 40 ft FCL

Certificate: CE/GS/ROHS/LFGB

TOASTER

MODEL NO.: HK-13216
2 SLICE TOASTER

Specification:

- AC220-240V-50HZ
- Power: 700W
- Toast boost
- Adjustable timer
- Auto shut off when time's up
- With crumb tray for easy clean
- With re-heat and defrost function
- Cool touch exterior

Packing details:

- Carton: 615 x 312 x 450mm
- 6 pcs / Carton
- 1,998 pcs / 20ft FCL
- 4,146 pcs / 40 ft FCL

Certificate: CE/ROHS



MODEL NO.: AX-8016BTT
2 SLICES TOASTER

Specification:

- 220V~240V, 50/60Hz, 750-850W
- Product size: 281*168*185mm
- 3 functions: Stop, Reheat, Defrost
- SUS 430 housing
- 3 LED indicators light
- Variable electronic timing control
- Anti-jam function

Packing details:

- Carton: 633 x 331 x 500mm
- 6pcs / Carton
- 1704pcs / 20ft FCL
- 3468pcs / 40ft FCL

Certificate: GS CE ROHS CB EMC LFGB



MODEL NO.: AX-3012DTT
4 SLICES TOASTER

Specification:

- 220V~240V, 50/60Hz, 1260-1500W
- Product size: 281*278*181mm
- 3 functions: Stop, Reheat, Defrost
- SUS 430 housing
- 6 LED indicators light
- Variable electronic timing control
- Anti-jam function

Packing details:

- Carton: 630 x 322 x 484mm
- 4pcs / Carton
- 1176pcs / 20ft FCL
- 2352pcs / 40ft FCL

Certificate: CE GS ROHS LFGB CB



MODEL NO.: AX-180LT
1-SLICE TOASTER

Specification:

- AC220-240V 50/60Hz 450-550W
- Variable browning control
- Plastic housing
- Automatic shut off and pop up
- Bread centering guides
- Removable crumb tray easy to clean
- Product size: 235 x 85 x 17mm

Packing details:

- 10 pcs / Carton
- Carton: 520 X 280 X 380MM
- 5,280pcs / 20ft FCL
- 11,040pcs / 40ft FCL
- 12,880pcs / 40HQ FCL

Certificate: CE/ROHS/LFGB/CB



MODEL NO.: AX-868GS
3 IN 1 SANDWICH MAKER

Specification:

- 220-240V 50/60HZ 750W
- Plate size: 23.5X13.1CM
- Stainless steel decoration
- With detachable Grill & waffle & Sandwich Plates
- Non-stick cooking plate
- 2 pilot lights for power and heating

Packing details:

- Carton: 595 x 268 x 300mm
- 6pcs / carton
- 2,300pcs / 20ft FCL
- 4,600pcs / 40ft FCL
- 5,432pcs / 40HQ FCL

Certificate: CE/GS/LFGB/ROHS



MODEL NO.: AX-608GS
DETACHABLE SANDWICH MAKER

Specification:

- 220-240V 50-60Hz 750W
- Plate size: 22.5X13.2CM
- Non-stick cooking plate and easy to clean,
- With detachable Grill & waffle & Sandwich &
- can be 180° open
- 2 pilots for power and heating

Packing details:

- Carton: 535 x 295 x 535mm
- 6pcs / carton
- 2,010pcs / 20ft FCL
- 4,020pcs / 40ft FCL

Certificate: CE/LFGB/ROHS



MODEL NO.: HK-ASH04
6L PRESSURE COOKER

- Specification:**
- AC220-240V-50HZ, 1000W
 - Non-stick aluminium pot
 - 8 cooking programs
 - 4 digital LED display
 - Button control
 - 3 level mouthfeel selections
 - 6 pressure timer selection
 - Timer, keep warm functions
 - With spoon, measure cup

Packing details:
Carton: 655 x 335 x 388mm
2 pcs / Carton
650 pcs / 20ft FCL
1,400 pcs / 40 ft FCL

Certificate: CE/CB/SAA



MODEL NO.: HK-MC605
MULTI COOKER

- Specification:**
- AC220V; 50Hz; 1350W
 - 6Qt capacity cooking pot with 3.0mm thickness, Non-stick coating
 - Cool touch Handle of cooking port
 - Time and temperature switching
 - Total 7 strong functions including STOVE TOP (LOW/HIGH) + SLOW COOK (HIGH/LOW/KEEP WARM) + OVEN + STEAM
 - 6 pressure timer selection
 - Programable-Digital+Mechanical operation
 - LED Display

Packing details:
Carton: 530 x 275 x 385 mm
1PC / Giftbox
1,206 / 40 ft HQ

Certificate: CE/GS/CB



MODEL NO.: HK-MC510
MULTI FUNCTION COOKER

- Specification:**
- Power: 1500W, 220-240VACV, 50HZ/60HZ
 - Capacity: 6.0L/6.5QT
 - Sous Vide, Bake, Rice, Roast, Yogurt, Slow cook, Keepwarm, Saute, Stew, Steam etc.
 - Tempered glass lid with SS seal ring
 - Aluminum pot with Non-stick coating
 - Stainless Steel Housing

Packing details:
Carton: 475 x 365 x 2.5 mm
1 pc / Carton
608 pcs / 20ft FCL
1,240 pcs / 40 HQ

Certificate: CE,GS,RoHS,LFGB,CB,ERP



MODEL NO.: HK-MC-30C
MULTIFUNCTION COOKER

- Specification:**
- AC220V-240V / 50Hz 1550W
 - Capacity: 4.5L
 - Material: Die-casting aluminum
 - Non-stick coating
 - Temperature display and control function
 - 6 Control knobs
 - Detachable base

Packing details:
Carton: 890 x 460 x 365 mm
4 pcs / Carton
832 pcs / 20ft FCL
1,720 pcs / 40ft FCL

Certificate: CE/GS/LFGB



MODEL NO.: HK-MC-3216A
MULTIFUNCTION COOKER

- Specification:**
- AC220V-240V / 50Hz 600W
 - Capacity: 3L
 - 100% Stainless steel inner pot and cover
 - Easy one-button operation
 - Automatically switches to Warm function
 - Saves up to 18% in energy costs

Packing details:
Carton: 308 x 596 x 480 mm
4 pcs / Carton
972 pcs / 20ft FCL
1,944 pcs / 40ft FCL

Certificate: CE/GS



MODEL NO.: HK-ES-1004
ELECTRIC SKILLET

- Specification:**
- AC220V-240V / 50Hz 1500W
 - Toughened glass lid with handle and safety valve
 - Easy-to-ready adjustable temperature control
 - Deep interior for roasting or frying
 - Premium non-stick interior for easy cleaning
 - Cooking surface size: 41 x 30 cm
 - Heat resistant handles
 - Stainless steel handles and skirt design

Packing details:
Carton: 585 x 500 x 360 mm
3 pcs / Carton
840 pcs / 20ft FCL
1,680 pcs / 40ft FCL

Certificate: CE/ROHS/ERP

GRILLS & HOT POTTS

MODEL NO.: HK120/60JY 2 IN 1 ELECTRIC HOT POT

Specification:

- 220V-240V, 50-60Hz, 1200W-600W
- Hot pot: 4L
- Two switches to control two heating plates.
- Steamboat & B.B.Q can be used at same time
- Adjustable temperature knob to control heating plate.
- Heavy non-stick coating cast aluminum Grill

Packing details:

- Carton: 700 X 355 X 440 mm
- 4 pcs / Carton
- 1,024 pcs / 20ft FCL
- 2,048 pcs / 40 ft FCL

Certificate: CE/CB



MODEL NO.: AX-3X150RXS 3-IN-1 OVAL TRIPLE SLOW COOKER

Specification:

- AC220-240V 50 /60HZ 300W
- Capacity: 1.5Lx3
- Brushed Stainless steel outershel
- OFF,LOW,HIGH,WARM.settings
- Power indicator light
- Cool-touch handles and knobs

Packing details:

- Carton: 520 x 230 x 505mm
- 1pcs / carton
- 460pcs / 20GP FCL
- 955pcs /40GP FCL
- 1,080pcs / 40HQ FCL

Certificate: GS,CB,CE,LFGB,ROHS

MODEL NO.: AX-1288-1YG RACLETTE GRILL FOR 8 PERSONS

Specification:

- AC220-240V,50/60Hz,1100W
- product size:40.5X27.5X14 cm
- Full non-stick top grill plate + 8 non-stick small pans
- Non-stick fondue pot (1.6L) + 6 forks + forks holder
- Stainless steel (SUS430) bottom plate.
- Carbon steel base housing
- With adjustable thermostat control and fuse

Packing details:

- Carton: 440 x 455 x 305mm
- 2pcs / Carton
- 1,000pcs / 20ft FCL
- 2,000pcs / 40ft FCL

Certificate: CE/GS/RoHS/LFGB



MODEL NO.: AX-102AG CONTACT GRILL

Specification:

- 220-240V,50/60Hz,1650W
- Plate size: 24.5x35.6cm
- Stand upright for compact storage and space saving
- Adjustable temperature control
- Easy cleaning due to non-stick coating
- Low-fat:oil runs into a collector bowl
- Detachable die cast plate with flat surface for teppanyaki and grill pattern for steaks

Packing details:

- Carton: 595 x 515 x 415mm
- 3 pcs / Carton
- 654pcs / 20ft FCL
- 1,356pcs / 40ft FCL

Certificate: CE/GS/ROHS/LFGB



MODEL NO.: HK-PM-213 PANINI MAKER

Specification:

- AC 220V-240V / 50Hz 2000W
- 4 Slice press grill
- Cool-touch safe handle
- Stainless steel housing
- Open 180°C as open grill
- Detachable grill plate with non-stick coating
- Adjustable temperature control knob
- Power on & ready light
- Time knob

Packing details:

- Carton: : 500 x 390 x 400 mm
- 3 pcs / Carton
- 1,068 pcs / 20ft FCL
- 2,220 pcs / 40ft FCL

Certificate: CE/A13/ROHS/LFGB

CONTACT GRILL



MODEL NO.: AX-P07MG
CONTACT GRILL

Specification:

- AC220-240V 50/60Hz , 2000W
- Detachable 4 slice plates: 29x30cm
- Accurate digital temperature control
- Grill on one side, Griddle on the other
- Detachable non-stick plates are dishwasher safe
- Full 180 degree open
- Stainless steel top cover, bakelite housing

Packing details:

Carton: 674 x 375 x 403mm
3pcs / Carton
735pcs / 20ft FCL
1,704pcs / 40ft FCL
1,962pcs / 40hq FCL

Certificate: CE/GS/LFGB/ROHS

MODEL NO.: AX-08BG
4 SLICE CONTACT GRILL

Specification:

- AC220-240V 50/60Hz , 1800W
- Detachable 4 slice plates: 29.0x24.0cm
- Non-stick coating for easy cleaning
- Power and ready light indicator
- Stand upright design for smart storage

Packing details:

Carton: 390 x 294 x 405mm
2pcs / Carton
1,260pcs / 20ft FCL
2,560pcs / 40ft FCL
3,010pcs / 40hq FCL

Certificate: CE/GS/LFGB/ROHS



MODEL NO.: AX-02BG
2 SLICE CONTACT GRILL

Specification:

- 220-240V 50/60Hz 1800W
- 2 slice plates: 27.1x17.5cm
- Non-stick coating for easy cleaning
- Power and ready light indicator
- Stand upright design for smart storage

Packing details:

Carton: 38.5x31.5x56.5cm
4pcs / Carton
1,780pcs / 20ft FCL
3,580pcs / 40ft FCL
4,168pcs / 40hq FCL

Certificate: CE/GS/LFGB/ROHS



MODEL NO.: AX-769AG
CONTACT GRILL

Specification:

- 220-240V,50/60Hz,1280W
- Size:305*275*130mm (plate size : 300*200mm)
- Can 180 degree flat open for double plate using.
- With an oil collector
- With power and ready indicator
- Stainless Steel Surface and Matt Finishing for Deluxe Looking
- Cool Touch Handle.
- Non Stick Coating for easy cleaning.

Packing details:

Carton: 68.0x36.5x35.0cm
4pcs / Carton
1,228pcs / 20ft FCL
2,620pcs / 40ft FCL

Certificate: CE/GS/ROHS/LFGB



MODEL NO.: HK-WM-548
WAFFLE BOWL MAKER

Specification:

- AC 220V-240V / 50Hz 650W
- Power on & ready light are controlled by thermostat
- Non-stick coated plate for easy cleaning
- Skid resistant feet
- Stand upright for compact storage and space saving

Packing details:

Carton: : 660 x 470 x 386 mm
12 pcs / Carton
2,700 pcs / 20ft FCL
5,580 pcs / 40ft FCL

Certificate: CE/GS



MODEL NO.: HK-PM-304A
PIZZA MAKER

Specification:

- AC 220V-240V / 50Hz 1800W
- High quality 2.5mm stainless steel heating coil
- 30 cm dia. cooking plate
- Top cover height: 70 mm
- Adjustable DOUBLE thermostats
- 180-240°C adjustable temperature
- On/Off switch
- Cool touch handles

Packing details:

Carton: : 715 x 375 x 480 mm
6 pcs / Carton
1,254 pcs / 20ft FCL
2,508 pcs / 40ft FCL

Certificate: CE

MODEL NO.: HK-15B
15L PIZZA OVEN

- Specification:
- AC220V~240V, 1300W
 - Fit 12" Pizza
 - 100°C-230°C Adjustable Temperature
 - Up/Low 4 Stainless steel heating tube.
 - 60 Minutes Timer

Packing details:
Giftbox: 432 x 330 x 270 mm
1 pc / GB
730 pcs / 20ft FCL
1,520 pcs / 40ft FCL

Certificate: CE(A13)/ RoHS/LFGB/CB/ErP/REACH



MODEL NO.: HK-T012A
13L PIZZA OVEN

- Specification:
- AC220V~240V, 1400Watts.
 - Fit 10" Pizza
 - Temperature adjustable: 100-240°C.
 - Zinc plated inner chamber.
 - Up/Low Stainless steel heating tube.
 - 60 Minutes Timer

Packing details:
Giftbox: 495 x 408 x 225mm
1 pc / GB
520 pcs / 20ft FCL
1,240 pcs / 40HQ

Certificate: CE(A13)/ RoHS/LFGB/CB/ErP

MODEL NO.: HK1302GF
13L MINI OVEN

- Specification:
- 220V~240V, 1000W
 - 13 Liters
 - Double Glass Door, inner LOW-E Glass
 - 60 Minute timer with auto shut off and ready bell
 - Cavity Center temperature up to 230±20
 - Oven door with 2-step stopping design for additional safety

Packing details:
Carton: 456 x 358 x 268 mm
4 pcs / Carton
1,290 / 40 HQ

Certificate: CE-A13/GS-EK1/ROHS/LFGB



MODEL NO.: HK06B-G
6L MINI OVEN

- Specification:
- AC220V~240V, 650W
 - 6 Liters
 - Fits 2 Slices of Bread
 - 15 Minutes Timer with Cooking End Signal
 - Two Quartz Heating Elements with Metal Protective Cove
 - 3 Function: Bake, Broil, Toast

Packing details:
Carton: 657 x 383 x 402 mm
6 pcs / Carton
1,680 pcs / 20ft FCL
3,630 pcs / 40 ft FCL

Certificate: CE(A13)/ROHS/LFGB/ErP/REACH



MODEL NO.: AX-888LCDJF
3.5 L OIL FREE FRYER WITH LED DISPLAY

- Specification:
- 220-240V 50/60Hz 1500W
 - capacity: 3.5L
 - 30mins timer with bell ring
 - 80°C-200°C temperature selector
 - With rapid air circulate system
 - Dis-washer Safe Parts

- Packing details:
- Carton: 350 x 340 x 395mm
 - 1pc / Carton
 - 550pcs / 20ft FCL
 - 1,200pcs / 40ft FCL
 - 1,400pcs / 40HQ FCL

Certificate: CE/LVD/GS/ROHS/LFGB

MODEL NO.: AX-3018JF
3.5 L OIL FREE FRYER

- Specification:
- AC220-240V 50/60Hz 1500W
 - Capacity: 3.5L
 - 30mins timer with bell ring
 - 80°C-200°C temperature selector
 - With rapid air circulate system
 - Dis-washer Safe Parts

- Packing details:
- Carton: 650 x 360 x 372mm
 - 2pcs / Carton
 - 600pcs / 20ft FCL
 - 1,280pcs / 40ft FCL
 - 1,510pcs / 40HQ FCL

Certificate: CE/LVD/GS/ROHS/LFGB



MODEL NO.: HK-599HF
AIR FRYER

- Specification:
- AC220-240V~ 1270W
 - Temperature control 80-200°C
 - Timer up to 30min.
 - 2.6L Non-stick food basket with LFGB&FDA
 - 3.2L Non-stick pan with LFGB&FDA
 - S/S 304 heating element
 - PP housing in 137degree
 - High temperature inside plastic in 280degree
 - Over-heat protection

- Packing details:
- Carton: 620 x 315 x 370 mm
 - 2 pcs / Carton
 - 700 pcs / 20ft FCL
 - 1,500 pcs / 40 ft FCL

Certificate: CE/GS/ROHS/LFGB/SAA



MODEL NO.: AX-716YO
7 L HALOGEN OVEN

- Specification:
- AC220-240V 50/60Hz 700W-800W
 - Capacity: 7L
 - Product size: 47*33*31cm
 - 60mins timer with bell ring
 - 65°C-250°C temperature selector
 - Removable glass bowl
 - S/S tube or halogen tub heating element

- Packing details:
- Carton: 625 x 318 x 455mm
 - 4pcs / Carton
 - 1,200pcs / 20ft FCL
 - 2,400pcs / 40ft FCL
 - 2,800pcs / 40HQ FCL

Certificate: CE,CB,ROHS,LFGB





MODEL NO.: HK-CC-3113
CERAMIC COOKER

- Specification:**
- AC220V-240V / 50Hz 1000W
 - Power indicator light
 - Thermostat control knob from min to max
 - Automatic safety shut-off
 - Thermal fuse for overheating protection
 - High strength glass plate 180 mm
 - Rubber feet

- Packing details:**
- Carton: : 345 x 330 x 610 mm
6 pcs / Carton
2,430 pcs / 20ft FCL
5,040 pcs / 40ft FCL

Certificate: ERP/REACH

MODEL NO.: HK-CC-B01
MULTIFUNCTION COOKER

- Specification:**
- AC 220V-240V / 50Hz 2000W
 - Knob/button control with LED display
 - BBQ/Cooking/Timer functions
 - With SUS 430 stainless steel body
 - Radiation-free cooker
 - Over heat/over current protection
 - Grill pan Inner size: 305 mm dia.
 - Easy cleaning detachable non-stick grill pan

- Packing details:**
- Carton: : 630 x 395 x 395 mm
3 pcs / Carton
840 pcs / 20ft FCL
1,740 pcs / 40ft FCL

Certificate: CE/GS/CB/ROHS



MODEL NO.: HK-CM-077
CHEESE MAKER

- Specification:**
- AC220V-240V / 50Hz 600W
 - with thermostat and adjustable knob
 - 1 pc wooden handle to adjust direction of cheese plate
 - 1 pc wooden handle to adjust height of cheese plate
 - 1 pc stainless steel cheese tray
 - with detachable wire
 - Metal base and housing with painting
 - Option: cheese scraper with rubber handle

- Packing details:**
- Carton: : 585 x 335 x 270 mm
6 pcs / Carton
3,456 pcs / 20ft FCL
7,104 pcs / 40ft FCL

Certificate: CE/A13/ROHS/LFGB



MODEL NO.: HK-SV8001
SOUS VIDE COOKER

- Specification:**
- AC220-240V,50/60Hz, 1500W
 - Temp Range:0°C to 95°C+/- 0.1 °C
 - Have timer function
 - Plastic housing with a modern outlook
 - Pump Speed:1-1.2GPM 7-8 LPM
 - Tank Capacity:Max 5 Gallons/20 Liters
 - User-adjustable temperature calibration
 - stainless steel 304 pump

- Packing details:**
- Carton: 470 x 455 x 420 mm
8 pcs / Carton
2,500 pcs / 20 ft FCL
5,160 pcs / 40 ft FCL

Certificate: CE/GS/RoHS/CB



MODEL NO.: HK-E1800C
FOOD VACUUM SEALER

- Specification:**
- AC220V-240V 50/60Hz 100W
 - Vacuum Strength: 12L/Min
 - Portable mini size
 - Base Vac/ Seal function
 - Easy to operate
 - LED indicator

- Packing details:**
- Carton: 475 x 390 x 255 mm
8 pcs / Carton
5,088 pcs / 20 ft FCL

Certificate: CE/GS/RoHS



MODEL NO.: HK-9937
FOOD VACUUM SEALER

- Specification:**
- AC220V-240V 50/60Hz 110W
 - extra strong vacuum pump 50Kpa
 - For bags with thickness between 0.2-0.29mm
 - max 28cm working width
 - 3 modes: vacuum and seal, only seal, cancel
 - 1 indication light for sealing and 1 indication light for vacuuming

- Packing details:**
- Carton: : 435 x 248 x 400mm
4 pcs / Carton
2,736 pcs / 20ft FCL
5,836 pcs / 40 ft FCL

Certificate: CE/GS/ROHS/ERP

ALEXON

Since 1982

GROUP OF COMPANIES

The Company established in 1982 with Base in Hong Kong and manufacturing plants in Huzhou-Guangdong and Yuyao-Zhejiang of China mainly producing Electronics Audio & Household Electrical Appliances, while Subsidiaries are based in Shenzhen-Guangdong of China acting as buying Agent for Customers all over the World plus individual Quality Control Team being responsible for factory audit and inspection of the products on behalf of Customers who buy from other sources.

OFFICE

ALEXON ELECTRICAL PRODUCTS LTD.

2103 Lemmi Centre, 50 Hoi Yuen Road,
Kwun Tong, Kowloon, Hong Kong.
Phone: (852) 2544 9927
Email : sales@alexon.com.hk
http : www.alexon.com.hk

ACTIVITIES

OEM Projects & self-developed Household & Kitchen Electrical Products.

CHINA OFFICE

NINGBO ALEXON ELECTRICAL PRODUCTS LTD.

(Shenzhen Office)
Room 2003 Oriental Plaza, Lowu, Shenzhen, China.
Phone: (86-755) 2518 3427
Email : sales@alexonchina.com
http : www.alexonchina.com

ACTIVITIES

Buying Agent, Sourcing, Quality Control.

CHINA FACTORY

NINGBO PREMIER ELECTRIC CO. LTD.

Simen-Yuyao, Ningbo, China

ACTIVITIES

Manufacturing for Consumer Electrical products & OEM product development.

SUBSIDIARIES

HEAD-OFFICE

DANSON HOUSEWARES LTD.

21/F Lemmi Centre, 50 Hoi Yuen Road,
Kwun Tong, Kowloon, Hong Kong.
Phone: (852) 2544 9522
Email : sales@danson.com.hk
http : www.danson.com.hk

ACTIVITIES

Administration, Product design and development of Electronics Audio products and Electrical Housewares.

CHINA OFFICE

SHENZHEN DANSON HOUSEWARES LTD.

20/F Oriental Plaza, Lowu, Shenzhen, China.
Phone: (86-755) 2518 3426
Email : sales@dansonchina.com
http : www.dansonchina.com

ACTIVITIES

Buying Agent, Merchandising, Sub-contraction.

CHINA FACTORY

GOLDEN PROFIT ELECTRICAL MANUFACTORY

Huizhou – Guangdong, China.

ACTIVITIES

Manufacturing for Electronic Audio & Gift products.